

~~CONFIDENTIAL~~  
RESTRICTED

COPY NO. 81  
RM No. E8F10c

222A  
~~CONFIDENTIAL~~  
NACA  
C1

# RESEARCH MEMORANDUM

PRELIMINARY RESULTS OF AN ALTITUDE-WIND-TUNNEL  
INVESTIGATION OF AN AXIAL-FLOW GAS  
TURBINE-PROPELLER ENGINE  
IV - COMPRESSOR AND TURBINE  
PERFORMANCE CHARACTERISTICS

By Lewis E. Wallner and Martin J. Saari

Flight Propulsion Research Laboratory  
Cleveland, Ohio

CLASSIFICATION CHANGED

CLASSIFIED DOCUMENT

To ~~Confidential~~  
C-10501 NACA RF 1730

By authority of ~~JW Crowley~~  
JH 1/15/54

This document contains classified information affecting the National Defense of the United States within the meaning of the Espionage Act, USC 1831 and 1832. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law. Information so classified may be imparted only to persons in the military and naval service of the United States, or to foreign civilian officers and personnel of the Federal Government who have a legitimate interest therein, and to United States citizens of known loyalty and discretion who of necessity must be informed thereof.

TECHNICAL  
EDITING  
WAIVED

NATIONAL ADVISORY COMMITTEE  
FOR AERONAUTICS

WASHINGTON  
August 10, 1948

CLASSIFICATION CANCELLED  
+ transmittal

Authority ~~Transmittal~~ Date 7-26-52

+ RN-104

See By ~~NAC~~ 5-6-52

RESTRICTED  
~~CONFIDENTIAL~~

NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

RESEARCH MEMORANDUM

PRELIMINARY RESULTS OF AN ALTITUDE-WIND-TUNNEL INVESTIGATION

OF AN AXIAL-FLOW GAS TURBINE-PROPELLER ENGINE

IV - COMPRESSOR AND TURBINE PERFORMANCE CHARACTERISTICS

By Lewis E. Wallner and Martin J. Saari

SUMMARY

As part of an investigation of the performance and operational characteristics of the axial-flow gas turbine-propeller engine, conducted in the Cleveland altitude wind tunnel, the performance characteristics of the compressor and the turbine were obtained. The data presented were obtained at a compressor-inlet ram-pressure ratio of 1.00 for altitudes from 5000 to 35,000 feet, engine speeds from 8000 to 13,000 rpm, and turbine-inlet temperatures from 1400° to 2100° R.

The highest compressor pressure ratio obtained was 6.15 at a corrected air flow of 23.7 pounds per second and a corrected turbine-inlet temperature of 2475° R. Peak adiabatic compressor efficiencies of about 77 percent were obtained near the value of corrected air flow corresponding to a corrected engine speed of 13,000 rpm. This maximum efficiency may be somewhat low, however, because of dirt accumulations on the compressor blades.

A maximum adiabatic turbine efficiency of 81.5 percent was obtained at rated engine speed for all altitudes and turbine-inlet temperatures investigated.

INTRODUCTION

An investigation of the performance and operational characteristics of an axial-flow gas turbine-propeller engine has been

conducted in the Cleveland altitude wind tunnel. Engine performance characteristics, windmilling characteristics, and pressure and temperature distributions throughout the engine are presented in references 1, 2, and 3, respectively.

The performance of the compressor and the turbine are of particular significance because very little altitude data have been obtained on these component parts in a gas turbine-propeller engine. Data were obtained at a compressor-inlet ram-pressure ratio of 1.00 at altitudes from 5000 to 35,000 feet, engine speeds from 8000 to 13,000 rpm, and turbine-inlet temperatures from 1400° to 2100° R. The compressor performance is presented as a function of corrected engine air flow and corrected turbine-inlet temperature. The turbine performance is presented as a function of corrected turbine speed and corrected turbine-inlet temperature.

#### DESCRIPTION OF COMPRESSOR AND TURBINE

A general description of the T31 gas turbine-propeller engine and the installation is given in reference 1. A detailed description of the compressor and turbine assemblies is given in the following sections.

##### Compressor

The T31 engine is equipped with a 14-stage axial-flow compressor, which has a sea-level air-flow rating of about 21 pounds per second at an engine speed of 13,000 rpm. The compressor rotor, shown in figure 1, consists of 14 wheels shrunk on a hollow shaft. The compressor blades are dovetailed into the rotor wheels. The blade-tip diameter of the rotor is  $16\frac{9}{16}$  inches and the over-all length is 25 inches. The hub-to-tip diameter ratio at the first rotor stage is 0.73 and increases to 0.88 at the fourteenth rotor stage. A balance pressure is applied to the forward end of the rotor by air bled from the fifth stage of the compressor. This air leaks out through two labyrinth seals into the compressor air passage aft of the inlet guide vanes. Another labyrinth seal is located at the aft end of the rotor. Air leaking through this seal is used to cool the forward face of the turbine wheel.

The stator stages consist of half rings into which the stator blades are dovetailed (fig. 2). These half rings, assembled around the rotor with spacers and clamping bolts, compose the compressor stator assembly.

Air enters the compressor through an annular inlet, which is divided into six equal segments by radial support struts. The flow area of the compressor inlet (station 2, fig. 3) is approximately 95 square inches. A single row of guide vanes turns the air in the direction of rotation of the rotor. Air is discharged from the compressor through two rows of straightening vanes into an annular passage.

### Turbine Assembly

The T31 engine has a single-stage turbine that delivers about 5000 horsepower at standard sea-level conditions and an engine speed of 13,000 rpm. The turbine (fig. 4) has a solid steel disk that tapers in thickness from 3.70 inches at the hub to 0.57 inch at the thinnest section near the rim. The turbine blades, which are welded to the wheel rim, are 1.6 inches in length. The blade chord tapers from 1.0 inch at the root to 0.75 inch at the tip. The blade forgings are so designed that the rectangular tips in the assembled wheel form the turbine shroud ring. The over-all diameter of the wheel including the shroud ring is 28 inches. The turbine clearances are shown in the detail of figure 3.

The turbine nozzle (fig. 5), which consists of 36 equally spaced hollow steel vanes, has an actual flow area of about 25 square inches and an expansion ratio of 1.065. The vanes are welded to inner and outer shroud rings. A portion of the air that enters the combustion chambers first flows through the hollow vanes to provide cooling.

Gases discharged from the turbine enter an annular exhaust cone having an area of about 154 square inches at the location of the turbine-outlet instrumentation (station 6, fig. 3). The inner cone is supported by four struts and by a series of small angle braces extending along the entire length of the inner cone. In the wind-tunnel investigation, a straight tail pipe 14 inches in diameter and 96 inches long was used.

### INSTRUMENTATION

A complete description of the instrumentation throughout the installation is given in reference 1. A review of the instrumentation required to determine the compressor and turbine characteristics is presented herein.

The annular compressor inlet was divided into six equal segments by the radial support struts, which form part of the engine structure. Installed in each alternate segment were five total-pressure tubes, two iron-constantan thermocouples, two static-pressure probes, and a static-pressure wall orifice on the inner and outer walls of the annulus. The remaining three segments had only static-pressure wall orifices installed on the outer walls. (See fig. 6.) Installed at the compressor outlet were nine total-pressure tubes, six iron-constantan thermocouples, two static-pressure probes, and five static-pressure wall orifices (fig. 7).

The turbine inlet was instrumented with five total-pressure tubes and five static-pressure wall orifices. Three of the total-pressure tubes were located  $120^\circ$  apart. One of the areas included by a single burner transition section had two additional total-pressure tubes installed  $10^\circ$  on each side of the center tube (fig. 8). The turbine outlet, or exhaust-cone inlet, was instrumented with three rakes,  $120^\circ$  apart, each containing three total-pressure tubes. A static-pressure wall orifice was installed on the outer wall in the plane of each rake. Three wafer static tubes were installed at various immersions and were rotated  $20^\circ$  from each of the total-pressure rakes. A chromel-alumel thermocouple was installed approximately in line with the center of each of the nine combustion chambers to indicate combustion-chamber ignition and unbalance (fig. 9).

Exhaust-gas temperatures were measured with six chromel-alumel thermocouples at the tail-pipe-nozzle outlet (fig. 10).

### PROCEDURE

Data were obtained at a compressor-inlet ram-pressure ratio of 1.00, pressure altitudes from 5000 to 35,000 feet, and engine speeds from 8000 to 13,000 rpm. Ambient temperatures were maintained at approximately NACA standard altitude conditions. The engine power was varied to give turbine-inlet temperatures ranging from  $1400^\circ$  to  $2100^\circ$  R.

Pressures were measured throughout the engine on water, alkali, and mercury manometers and were photographically recorded. Temperatures were measured and recorded by self-balancing potentiometers. Engine and tunnel operating conditions were indicated by gages on the engine control panel and were photographically recorded.

### SYMBOLS

The following symbols are used in this report:

A	area, square feet
a	speed of sound in air, feet per second
D	compressor tip diameter, feet
g	acceleration due to gravity, feet per second per second
ghp	horsepower loss in high-speed reduction gear
H	enthalpy, Btu per pound
$\Delta H_{ad}$	adiabatic enthalpy change, Btu per pound
J	mechanical equivalent of heat, foot-pounds per Btu
K, $K_1$	constants
$M_c$	compressor Mach number
N	engine speed, rpm
n	number of compressor stages
P	total pressure, pounds per square foot absolute
p	static pressure, pounds per square foot absolute
R	gas constant, foot-pounds per pound $^{\circ}F$
shp	shaft horsepower measured at torquemeter
T	total temperature, $^{\circ}R$
$T_1$	indicated temperature, $^{\circ}R$

U	compressor tip speed, feet per second
$W_a$	air flow, pounds per second
$W_f$	fuel flow, pounds per hour
$W_g$	gas flow, pounds per second
$\alpha$	thermocouple impact-recovery factor, 0.85
$\gamma$	ratio of specific heats
$\delta$	ratio of compressor-inlet absolute total pressure to static pressure of NACA standard atmosphere at sea level
$\delta_5$	ratio of turbine-inlet absolute total pressure to static pressure of NACA standard atmosphere at sea level
$\theta$	ratio of compressor-inlet absolute total temperature to static temperature of NACA standard atmosphere at sea level
$\theta_5$	corrected ratio of turbine-inlet absolute total temperature to static temperature of NACA standard atmosphere at sea level, $(\gamma_5 T_5)/(1.40 \times 519)$
$\Psi$	average compressor pressure coefficient per stage
$\eta_c$	adiabatic compressor efficiency, percent
$\eta_t$	adiabatic turbine efficiency, percent

## Subscripts:

2	compressor inlet
3	compressor outlet
5	turbine inlet
6	turbine outlet
8	tail-pipe-nozzle outlet
c	compressor
t	turbine

## METHOD OF CALCULATION

The total temperatures at the compressor inlet, the compressor outlet, and the tail-pipe-nozzle outlet were calculated from the relation

$$T = \frac{T_1 \left(\frac{P}{p}\right)^{\frac{\gamma-1}{\gamma}}}{1 + \alpha \left[ \left(\frac{P}{p}\right)^{\frac{\gamma-1}{\gamma}} - 1 \right]}$$

As in reference 1, the total enthalpy at the turbine inlet was assumed to be equal to the sum of the enthalpy at the tail-pipe-nozzle outlet and the drop in enthalpy across the turbine. The enthalpy drop across the turbine is equivalent to the sum of the enthalpy rise across the compressor, the shaft horsepower measured at the torquemeter, and the power loss in the high-speed reduction gear.

$$H_5 = H_3 + (H_3 - H_2) + \frac{550(\text{shp} + \text{ghp})}{W_g J}$$

The turbine-inlet total temperature was then obtained from thermodynamic charts relating enthalpy and fuel-air ratio to temperature.

Air flow through the compressor was calculated from measurements at the compressor inlet by use of the equation

$$W_{a,2} = p_2 A_2 \sqrt{\frac{2\gamma_2 g}{(\gamma_2 - 1) R T_2} \left(\frac{P_2}{p_2}\right)^{\frac{\gamma_2-1}{\gamma_2}} \left[ \left(\frac{P_2}{p_2}\right)^{\frac{\gamma_2-1}{\gamma_2}} - 1 \right]}$$

Turbine gas flow was assumed equal to the sum of the compressor-inlet air flow and the engine fuel flow

$$W_g = W_a + \frac{W_f}{3600}$$



The adiabatic compressor efficiency was obtained from

$$\eta_c = \frac{\left[ \left( \frac{P_3}{P_2} \right)^{\frac{\gamma_c - 1}{\gamma_c}} - 1 \right]}{\left[ \left( \frac{T_3}{T_2} \right) - 1 \right]} \times 100$$

where  $\gamma_c$  was assumed equal to 1.40.

Compressor Mach number, based on the total temperature of the air at the compressor inlet, was computed from

$$M_c = \frac{U}{a_2} = \frac{\pi DN}{60 \sqrt{\gamma_2 g R T_2}}$$

The average compressor pressure coefficient per stage, which is defined as the ratio of the adiabatic work per stage to the work that would be required to accelerate the air to a velocity equal to the tip speed of the compressor, was obtained from

$$\psi = \frac{\Delta H_{ad}}{n \frac{U^2}{2g}} = \frac{2}{n(\gamma_c - 1)} \frac{\left( \frac{P_3}{P_2} \right)^{\frac{\gamma_c - 1}{\gamma_c}} - 1}{M_c^2}$$

Adiabatic turbine efficiency was calculated from

$$\eta_t = \frac{T_5 - T_6}{T_5 \left[ 1 - \left( \frac{P_6}{P_5} \right)^{\frac{\gamma_t - 1}{\gamma_t}} \right]} \times 100$$

where  $\gamma_t$  was assumed equal to the average ratio of specific heats entering and leaving the turbine. Because the temperature drop through the tail pipe was small and the temperature measurements were more reliable at the tail-pipe-nozzle outlet than at the turbine outlet,  $T_6$  was replaced by  $T_8$  in the turbine-efficiency equation.

## RESULTS AND DISCUSSION

Compressor and turbine performance characteristics for the range of conditions at which the axial-flow gas turbine-propeller engine was operated are discussed. Inasmuch as engine performance was obtained for a relatively small range of compressor-inlet ram-pressure ratios, no effort has been made to determine the effect of this parameter on the performance of the compressor and the turbine.

### Compressor

The relation between corrected air flow, compressor Mach number, and corrected engine speed is shown in figure 11 for altitudes from 5000 to 35,000 feet. The air flows obtained at different altitudes generalized reasonably well and appear to be a function only of compressor Mach number for the range of operating conditions investigated.

During the operation of a compressor in a gas turbine-propeller engine, the compressor pressure ratio varies with the power delivered to the propeller. In order to increase the power delivered to the propeller at a particular engine speed, an increase in turbine-inlet temperature is necessary, which in turn increases the turbine-inlet pressure. This rise in turbine-inlet pressure results in an increase in compressor-outlet pressure and, consequently, compressor pressure ratio.

It can be analytically shown that, for conditions at which the turbine nozzles are choked and the corrected air flow is constant, the compressor pressure ratio is proportional to the square root of the corrected turbine-inlet temperature. When the pressure ratio across the turbine nozzle exceeds the critical value (about 1.89), the mass flow through the turbine nozzles can be expressed as

$$W_g = \frac{K A_5 P_5 \sqrt{\gamma_5}}{\sqrt{T_5}}$$

If the air flow through the engine is assumed equal to the gas flow and the correction factors  $\delta$  and  $\theta$  are applied to this equation, the corrected air flow becomes

$$\frac{W_a \sqrt{\theta}}{8} = K_1 A_5 \frac{P_5 \sqrt{\gamma_5}}{P_2 \sqrt{T_5/T_2}}$$

As a first-order approximation, the compressor-outlet total pressure  $P_3$  may be assumed equal to the turbine-inlet total pressure  $P_5$ . The variation in  $\sqrt{\gamma_5}$  was also assumed to be negligible. Consequently, at a constant corrected air flow,

$$\frac{P_3}{P_2} \propto \sqrt{\frac{T_5}{T_2}}$$

and because  $\theta = \frac{T_2}{519}$

$$\frac{P_3}{P_2} \propto \sqrt{\frac{T_5}{\theta}}$$

The compressor pressure ratio is plotted in figure 12 against the square root of the corrected turbine-inlet temperature for constant corrected air flows from 8.8 to 23.7 pounds per second, which were obtained at altitudes from 5000 to 35,000 feet. The compressor pressure ratio is shown to increase linearly with the square root of the corrected turbine-inlet temperature at a constant corrected air flow. For the range of conditions investigated, a maximum compressor pressure ratio of 6.15 was obtained with a corrected air flow of 23.7 pounds per second at a corrected turbine-inlet temperature of 2475° R.

The compressor efficiency was determined by plotting the actual temperature-rise factor  $(T_3/T_2) - 1$  against the adiabatic

temperature-rise factor  $(P_3/P_2)^{\frac{\gamma_c - 1}{\gamma_c}} - 1$ , as shown in figure 13. A single curve was faired through all the data points, inasmuch as the data scatter did not allow separation of the effects of turbine-inlet temperature and altitude on compressor efficiency at a particular value of compressor pressure ratio. A cross plot of the data from figures 12 and 13 in figure 14 shows the variation of compressor efficiency with corrected air flow for constant values of corrected turbine-inlet temperatures from 1600° to 2400° R. For the range of air flows investigated, the compressor efficiency was not greatly affected by changes in turbine-inlet temperature. A maximum compressor efficiency of about 77 percent

occurred at a corrected air flow of approximately 20 pounds per second for corrected turbine-inlet temperatures from 1800° to 2200° R. This peak efficiency may be somewhat low because of dirt and oil deposits on the stator and rotor blades.

The compressor-performance-characteristic curves for the range of engine operating conditions investigated were obtained by cross-plotting the data from figures 11, 12, and 14 in figure 15. The compressor pressure ratio increased with an increase in corrected air flow at constant values of corrected turbine-inlet temperature. The maximum compressor efficiencies occurred near the value of corrected air flow corresponding to a corrected engine speed of 13,000 rpm.

The variation of compressor pressure coefficient with corrected turbine-inlet temperature is shown in figure 16 for constant values of corrected air flow. The compressor pressure coefficient increased with the corrected turbine-inlet temperature. A cross plot (fig. 17) of the data from figure 16 shows the variation of compressor pressure coefficient with corrected air flow for constant values of corrected turbine-inlet temperature. A maximum pressure coefficient of 0.322 was obtained at a corrected air flow of about 14 pounds per second and a corrected turbine-inlet temperature of 2000° R. The maximum pressure coefficient does not occur at rated engine operating conditions.

### Turbine

Turbine pressure ratio and corrected turbine speed are plotted as functions of corrected turbine-inlet temperature in figure 18 for constant values of corrected engine speed at altitudes from 5000 to 35,000 feet. The highest turbine pressure ratio at which data were obtained was 4.65 at a corrected turbine speed of 6700 rpm and a corrected turbine-inlet temperature of 2475° R. A cross plot of these data (fig. 19) shows the variation of turbine pressure ratio with corrected turbine speed for corrected turbine-inlet temperatures from 1600° to 2400° R. The turbine pressure ratio increased with an increase in corrected turbine speed and corrected turbine-inlet temperature. At a corrected turbine speed of 6800 rpm, an increase in corrected turbine-inlet temperature from 1600° to 2400° R raised the turbine pressure ratio from 3.05 to 4.50.

The turbine efficiencies were obtained by a method similar to that used in determining the compressor efficiencies. The actual

temperature-drop factor  $1 - (T_8/T_5)$  is plotted against the adiabatic temperature-drop factor  $1 - (P_6/P_5)^{\frac{\gamma_t - 1}{\gamma_t}}$  in figure 20 for altitudes from 5000 to 35,000 feet. Lines of constant turbine efficiency superimposed on the data show that practically all the turbine efficiencies were between 76 and 82 percent. It is also shown that the turbine efficiencies were not noticeably affected by changes in altitude.

In order to show turbine efficiency as a function of corrected turbine speed and to determine the effect of turbine-inlet temperature on turbine efficiency, the actual and adiabatic temperature-drop factors first had to be plotted against the corrected turbine-inlet temperature for constant values of corrected engine speed, as shown in figure 21. A cross plot of the data from figures 18 and 21 in figure 22 shows the turbine efficiency as a function of corrected turbine speed. Although the data from figures 18 and 21 varied by about 1.5 percent from the curve shown in figure 22, no consistent variation of turbine efficiency with turbine-inlet temperature was apparent for the range of conditions investigated. The faired curve in figure 22 indicates a maximum turbine efficiency of 81.5 percent at corrected turbine speeds from 6200 to 7400 rpm. This range of corrected turbine speeds includes engine operation at rated speed for all altitudes and turbine-inlet temperatures investigated.

The variation of turbine pressure ratio with corrected gas flow is shown in figure 23 for altitudes from 5000 to 35,000 feet. For practically all the conditions investigated, the corrected gas flow was constant, which indicates that the turbine nozzles were choked. A corrected gas flow of about 9 pounds per second was obtained for turbine pressure ratios from approximately 2.0 to 4.65.

#### SUMMARY OF RESULTS

Compressor and turbine performance characteristics were obtained as part of an investigation of an axial-flow gas turbine-propeller engine in the Cleveland altitude wind tunnel. Data were obtained at altitudes from 5000 to 35,000 feet, engine speeds from 8000 to 13,000 rpm, turbine-inlet temperatures from 1400° to 2100° R, and a compressor-inlet ram-pressure ratio of 1.00. The following results were obtained:

1. For the range of operating conditions investigated, a maximum compressor pressure ratio of 6.15 was obtained at a corrected air flow of 23.7 pounds per second and a corrected turbine-inlet temperature of 2475° R.

2. Peak adiabatic compressor efficiencies of about 77 percent were obtained near the value of corrected air flow corresponding to a corrected engine speed of 13,000 rpm. This value of maximum efficiency may be somewhat low, however, because of dirt accumulation on the compressor blades.

3. A maximum compressor pressure coefficient of 0.322 was obtained at a corrected air flow of about 14 pounds per second and a corrected turbine-inlet temperature of 2000° R. The peak compressor pressure coefficient did not occur at rated engine operating conditions.

4. A maximum adiabatic turbine efficiency of 81.5 percent was obtained at rated engine speed for all altitudes and turbine-inlet temperatures investigated.

Flight Propulsion Research Laboratory,  
National Advisory Committee for Aeronautics,  
Cleveland, Ohio.

#### REFERENCES

1. Saari, Martin J., and Wallner, Lewis E.: Preliminary Results of an Altitude-Wind-Tunnel Investigation of an Axial-Flow Gas Turbine-Propeller Engine. I - Performance Characteristics. NACA RM No. E8F10, 1948.
2. Conrad, E. W., and Durham, J. D.: Preliminary Results of an Altitude-Wind-Tunnel Investigation of an Axial-Flow Gas Turbine-Propeller Engine. II - Windmilling Characteristics, NACA RM No. E8F10a, 1948.
3. Geisenheyner, Robert M., and Berdysz, Joseph J.: Preliminary Results of an Altitude-Wind-Tunnel Investigation of an Axial-Flow Gas Turbine-Propeller Engine. III - Pressure and Temperature Distribution. NACA RM No. E8F10b, 1948.






Figure 1. - Compressor rotor of axial-flow gas turbine-propeller engine.








Figure 2. - Sixth-stage stator ring from compressor of axial-flow gas turbine-propeller engine.






Figure 3. - Side view of axial-flow gas turbine-propeller engine showing location of measuring stations.






Figure 4. - Turbine wheel used in axial-flow gas turbine-propeller engine.






Figure 5. - Turbine nozzle of axial-flow gas turbine-propeller engine.








Figure 6. - Location of instrumentation at compressor inlet, looking aft, station 2.




Figure 7. - Location of instrumentation at compressor outlet, looking aft, station 3.




Figure 8. - Location of instrumentation at turbine inlet, looking aft, station 5.




Figure 9. - Location of instrumentation at turbine outlet, looking aft, station 6.



Figure 10. - Detail sketch of tail-pipe-outlet rake, station 8.




Figure 11. - Variation of corrected air flow with compressor Mach number and corrected engine speed. Compressor-inlet ram-pressure ratio, 1.00.




Figure 12. - Variation of compressor pressure ratio with square root of corrected turbine-inlet temperature. Compressor-inlet ram-pressure ratio, 1.00.






Figure 13. - Relation between actual and adiabatic temperature-rise factors. Compressor-inlet ram-pressure ratio, 1.00.




Figure 14. - Variation of adiabatic compressor efficiency with corrected air flow. Compressor-inlet ram-pressure ratio, 1.00.




Figure 15. - Compressor-performance-characteristic curves for operating range of axial-flow gas turbine-propeller engine. Compressor-inlet ram-pressure ratio, 1.00.




Figure 16. - Variation of compressor pressure coefficient with corrected turbine-inlet temperature. Compressor-inlet Mach number, 1.00.




Figure 17. - Variation of compressor pressure coefficient with corrected air flow. Compressor-inlet ram-pressure ratio, 1.00.




Figure 18. - Variation of corrected turbine speed and turbine pressure ratio with corrected turbine-inlet temperature. Compressor-inlet ram-pressure ratio, 1.00.




Figure 19. - Variation of turbine pressure ratio with corrected turbine speed. Compressor-inlet ram-pressure ratio, 1.00




Figure 20. - Relation between actual and adiabatic temperature-drop factors. Compressor-inlet ram-pressure ratio, 1.00.






Figure 21. - Variation of actual and adiabatic temperature-drop factors with corrected turbine-inlet temperature. Compressor-inlet ram-pressure ratio, 1.00.




Figure 22. - Variation of adiabatic turbine efficiency with corrected turbine speed. Compressor-inlet ram-pressure ratio, 1.00.




Figure 23. - Variation of turbine pressure ratio with corrected gas flow.  
Compressor-Inlet ram-pressure ratio, 1.00.



THE JOURNAL OF THE  
AMERICAN MEDICAL ASSOCIATION  
PUBLISHED WEEKLY  
535 N. Dearborn Ave. Chicago, Ill. 60610-5412  
Subscription Service Dept. 520 N. Dearborn Ave. Chicago, Ill. 60610-5412

1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220  
2221  
2222  
2223  
2224  
2225  
2226  
2227  
2228  
2229  
2230  
2231  
2232  
2233  
2234  
2235  
2236  
2237  
2238  
2239  
2240  
2241  
2242  
2243  
2244  
2245  
2246  
2247  
2248  
2249  
2250  
2251  
2252  
2253  
2254  
2255  
2256  
2257  
2258  
2259  
2260  
2261  
2262  
2263  
2264  
2265  
2266  
2267  
2268  
2269  
2270  
2271  
2272  
2273  
2274  
2275  
2276  
2277  
2278  
2279  
2280  
2281  
2282  
2283  
2284  
2285  
2286  
2287  
2288  
2289  
2290  
2291  
2292  
2293  
2294  
2295  
2296  
2297  
2298  
2299  
2300  
2301  
2302  
2303  
2304  
2305  
2306  
2307  
2308  
2309  
2310  
2311  
2312  
2313  
2314  
2315  
2316  
2317  
2318  
2319  
2320  
2321  
2322  
2323  
2324  
2325  
2326  
2327  
2328  
2329  
2330  
2331  
2332  
2333  
2334  
2335  
2336  
2337  
2338  
2339  
2340  
2341  
2342  
2343  
2344  
2345  
2346  
2347  
2348  
2349  
2350  
2351  
2352  
2353  
2354  
2355  
2356  
2357  
2358  
2359  
2360  
2361  
2362  
2363  
2364  
2365  
2366  
2367  
2368  
2369  
2370  
2371  
2372  
2373  
2374  
2375  
2376  
2377  
2378  
2379  
2380  
2381  
2382  
2383  
2384  
2385  
2386  
2387  
2388  
2389  
2390  
2391  
2392  
2393  
2394  
2395  
2396  
2397  
2398  
2399  
2400  
2401  
2402  
2403  
2404  
2405  
2406  
2407  
2408  
2409  
2410  
2411  
2412  
2413  
2414  
2415  
2416  
2417  
2418  
2419  
2420  
2421  
2422  
2423  
2424  
2425  
2426  
2427  
2428  
2429  
2430  
2431  
2432  
2433  
2434  
2435  
2436  
2437  
2438  
2439  
2440  
2441  
2442  
2443  
2444  
2445  
2446  
2447  
2448  
2449  
2450  
2451  
2452  
2453  
2454  
2455  
2456  
2457  
2458  
2459  
2460  
2461  
2462  
2463  
2464  
2465  
2466  
2467  
2468  
2469  
2470  
2471  
2472  
2473  
2474  
2475  
2476  
2477  
2478  
2479  
2480  
2481  
2482  
2483  
2484  
2485  
2486  
2487  
2488  
2489  
2490  
2491  
2492  
2493  
2494  
2495  
2496  
2497  
2498  
2499  
2500  
2501  
2502  
2503  
2504  
2505  
2506  
2507  
2508  
2509  
2510  
2511  
2512  
2513  
2514  
2515  
2516  
2517  
2518  
2519  
2520  
2521  
2522  
2523  
2524  
2525  
2526  
2527  
2528  
2529  
2530  
2531  
2532  
2533  
2534  
2535  
2536  
2537  
2538  
2539  
2540  
2541  
2542  
2543  
2544  
2545  
2546  
2547  
2548  
2549  
2550  
2551  
2552  
2553  
2554  
2555  
2556  
2557  
2558  
2559  
2560  
2561  
2562  
2563  
2564  
2565  
2566  
2567  
2568  
2569  
2570  
2571  
2572  
2573  
2574  
2575  
2576  
2577  
2578  
2579  
2580  
2581  
2582  
2583  
2584  
2585  
2586  
2587  
2588  
2589  
2590  
2591  
2592  
2593  
2594  
2595  
2596  
2597  
2598  
2599  
2600  
2601  
2602  
2603  
2604  
2605  
2606  
2607  
2608  
2609  
2610  
2611  
2612  
2613  
2614  
2615  
2616  
2617  
2618  
2619  
2620  
2621  
2622  
2623  
2624  
2625  
2626  
2627  
2628  
2629  
2630  
2631  
2632  
2633  
2634  
2635  
2636  
2637  
2638  
2639  
2640  
2641  
2642  
2643  
2644  
2645  
2646  
2647  
2648  
2649  
2650  
2651  
2652  
2653  
2654  
2655  
2656  
2657  
2658  
2659  
2660  
2661  
2662  
2663  
2664  
2665  
2666  
2667  
2668  
2669  
2670  
2671  
2672  
2673  
2674  
2675  
2676  
2677  
2678  
2679  
2680  
2681  
2682  
2683  
2684  
2685  
2686  
2687  
2688  
2689  
2690  
2691  
2692  
2693  
2694  
2695  
2696  
2697  
2698  
2699  
2700  
2701  
2702  
2703  
2704  
2705  
2706  
2707  
2708  
2709  
2710  
2711  
2712  
2713  
2714  
2715  
2716  
2717  
2718  
2719  
2720  
2721  
2722  
2723  
2724  
2725  
2726  
2727  
2728  
2729  
2730  
2731  
2732  
2733  
2734  
2735  
2736  
2737  
2738  
2739  
2740  
2741  
2742  
2743  
2744  
2745  
2746  
2747  
2748  
2749  
2750  
2751  
2752  
2753  
2754  
2755  
2756  
2757  
2758  
2759  
2760  
2761  
2762  
2763  
2764  
2765  
2766  
2767  
2768  
2769  
2770  
2771  
2772  
2773  
2774  
2775  
2776  
2777  
2778  
2779  
2780  
2781  
2782  
2783  
2784  
2785  
2786  
2787  
2788  
2789  
2790  
2791  
2792  
2793  
2794  
2795  
2796  
2797  
2798  
2799  
2800  
2801  
2802  
2803  
2804  
2805  
2806  
2807  
2808  
2809  
2810  
2811  
2812  
2813  
2814  
2815  
2816  
2817  
2818  
2819  
2820  
2821  
2822  
2823  
2824  
2825  
2826  
2827  
2828  
2829  
2830  
2831  
2832  
2833  
2834  
2835  
2836  
2837  
2838  
2839  
2840  
2841  
2842  
2843  
2844  
2845  
2846  
2847  
2848  
2849  
2850  
2851  
2852  
2853  
2854  
2855  
2856  
2857  
2858  
2859  
2860  
2861  
2862  
2863  
2864  
2865  
2866  
2867  
2868  
2869  
2870  
2871  
2872  
2873  
2874  
2875  
2876  
2877  
2878  
2879  
2880  
2881  
2882  
2883  
2884  
2885  
2886  
2887  
2888  
2889  
2890  
2891  
2892  
2893  
2894  
2895  
2896  
2897  
2898  
2899  
2900  
2901  
2902  
2903  
2904  
2905  
2906  
2907  
2908  
2909  
2910  
2911  
2912  
2913  
2914  
2915  
2916  
2917  
2918  
2919  
2920  
2921  
2922  
2923  
2924  
2925  
2926  
2927  
2928  
2929  
2930  
2931  
2932  
2933  
2934  
2935  
2936  
2937  
2938  
2939  
2940  
2941  
2942  
2943  
2944  
2945  
2946  
2947  
2948  
2949  
2950  
2951  
2952  
2953  
2954  
2955  
2956  
2957  
2958  
2959  
2960  
2961  
2962  
2963  
2964  
2965  
2966  
2967  
2968  
2969  
2970  
2971  
2972  
2973  
2974  
2975  
2976  
2977  
2978  
2979  
2980  
2981  
2982  
2983  
2984  
2985  
2986  
2987  
2988  
2989  
2990  
2991  
2992  
2993  
2994  
2995  
2996  
2997  
2998  
2999  
3000  
3001  
3002  
3003  
3004  
3005  
3006  
3007  
3008  
3009  
3010  
3011  
3012  
3013  
3014  
3015  
3016  
3017  
3018  
3019  
3020  
3021  
3022  
3023  
3024  
3025  
3026  
3027  
3028  
3029  
3030  
3031  
3032  
3033  
3034  
3035  
3036  
3037  
3038  
3039  
3040  
3041  
3042  
3043  
3044  
3045  
3046  
3047  
3048  
3049  
3050  
3051  
3052  
3053  
3054  
3055  
3056  
3057  
3058  
3059  
3060  
3061  
3062  
3063  
3064  
3065  
3066  
3067  
3068  
3069  
3070  
3071  
3072  
3073  
3074  
3075  
3076  
3077  
3078  
3079  
3080  
3081  
3082  
3083  
3084  
3085  
3086  
3087  
3088  
3089  
3090  
3091  
3092  
3093  
3094  
3095  
3096  
3097  
3098  
3099  
3100  
3101  
3102  
3103  
3104  
3105  
3106  
3107  
3108  
3109  
3110  
3111  
3112  
3113  
3114  
3115  
3116  
3117  
3118  
3119  
3120  
3121  
3122  
3123  
3124  
3125  
3126  
3127  
3128  
3129  
3130  
3131  
3132  
3133  
3134  
3135  
3136  
3137  
3138  
3139  
3140  
3141  
3142  
3143  
3144  
3145  
3146  
3147  
3148  
3149  
3150  
3151  
3152  
3153  
3154  
3155  
3156  
3157  
3158  
3159  
3160  
3161  
3162  
3163  
3164  
3165  
3166  
3167  
3168  
3169  
3170  
3171  
3172  
3173  
3174  
3175  
3176  
3177  
3178  
3179  
3180  
3181  
3182  
3183  
3184  
3185  
3186  
3187  
3188  
3189  
3190  
3191  
3192  
3193  
3194  
3195  
3196  
3197  
3198  
3199  
3200  
3201  
3202  
3203  
3204  
3205  
3206  
3207  
3208  
3209  
3210  
3211  
3212  
3213  
3214  
3215  
3216  
3217  
3218  
3219  
3220  
3221  
3222  
3223  
3224  
3225  
3226  
3227  
3228  
3229  
3230  
3231  
3232  
3233  
3234  
3235  
3236  
3237  
3238  
3239  
3240  
3241  
3242  
3243  
3244  
3245  
3246  
3247  
3248  
3249  
3250  
3251  
3252  
3253  
3254  
3255  
3256  
3257  
3258  
3259  
3260  
3261  
3262  
3263  
3264  
3265  
3266  
3267  
3268  
3269  
3270  
3271  
3272  
3273  
3274  
3275  
3276  
3277  
3278  
3279  
3280  
3281  
3282  
3283  
3284  
3285  
3286  
3287  
3288  
3289  
3290  
3291  
3292  
3293  
3294  
3295  
3296  
3297  
3298  
3299  
3300  
3301  
3302  
3303  
3304  
3305  
3306  
3307  
3308  
3309  
3310  
3311  
3312  
3313  
3314  
3315  
3316  
3317  
3318  
3319  
3320  
3321  
3322  
3323  
3324  
3325  
3326  
3327  
3328  
3329  
3330  
3331  
3332  
3333  
3334  
3335  
3336  
3337  
3338  
3339  
3340  
3341  
3342  
3343  
3344  
3345  
3346  
3347  
3348  
3349  
3350  
3351  
3352  
3353  
3354  
3355  
3356  
3357  
3358  
3359  
3360  
3361  
3362  
3363  
3364  
3365  
3366  
3367  
3368  
3369  
3370  
3371  
3372  
3373  
3374  
3375  
3376  
3377  
3378  
3379  
3380  
3381  
3382  
3383  
3384  
3385  
3386  
3387  
3388  
3389  
3390  
3391  
3392  
3393  
3394  
3395  
3396  
3397  
3398  
3399  
3400  
3401  
3402  
3403  
3404  
3405  
3406  
3407  
3408  
3409  
3410  
3411  
3412  
3413  
3414  
3415  
3416  
3417  
3418  
3419  
3420  
3421  
3422  
3423  
3424  
3425  
3426  
3427  
3428  
3429  
3430  
3431  
3432  
3433  
3434  
3435  
3436  
3437  
3438  
3439  
3440  
3441  
3442  
3443  
3444  
3445  
3446  
3447  
3448  
3449  
3450  
3451  
3452  
3453  
3454  
3455  
3456  
3457  
3458  
3459  
3460  
3461  
3462  
3463  
3464  
3465  
3466  
3467  
3468  
3469  
3470  
3471  
3472  
3473  
3474  
3475  
3476  
3477  
3478  
3479  
3480  
3481  
3482  
3483  
3484  
3485  
3486  
3487  
3488  
3489  
3490  
3491  
3492  
3493  
3494  
3495  
3496  
3497  
3498  
3499  
3500  
3501  
3502  
3503  
3504  
3505  
3506  
3507  
3508  
3509  
3510  
3511  
3512  
3513  
3514  
3515  
3516  
3517  
3518  
3519  
3520  
3521  
3522  
3523  
3524  
3525  
3526  
3527  
3528  
3529  
3530  
3531  
3532  
3533  
3534  
3535  
3536  
3537  
3538  
3539  
3540  
3541  
3542  
3543  
3544  
3545  
3546  
3547  
3548  
3549  
3550  
3551  
3552  
3553  
3554  
3555  
3556  
3557  
3558  
3559  
3560  
3561  
3562  
3563  
3564  
3565  
3566  
3567  
3568  
3569  
3570  
3571  
3572  
3573  
3574  
3575  
3576  
3577  
3578  
3579  
3580  
3581  
3582  
3583  
3584  
3585  
3586  
3587  
3588  
3589  
3590  
3591  
3592  
3593  
3594  
3595  
3596  
3597  
3598  
3599  
3600  
3601  
3602  
3603  
3604  
3605  
3606  
3607  
3608  
3609  
3610  
3611  
3612  
3613  
3614  
3615  
3616  
3617  
3618  
3619  
3620  
3621  
3622  
3623  
3624  
3625  
3626  
3627  
3628  
3629  
3630  
3631  
3632  
3633  
3634  
3635  
3636  
3637  
3638  
3639  
3640  
3641  
3642  
3643  
3644  
3645  
3646  
3647  
3648  
3649  
3650  
3651  
3652  
3653  
3654  
3655  
3656  
3657  
3658  
3659  
3660  
3661  
3662  
3663  
3664  
3665  
3666  
3667  
3668  
3669  
3670  
3671  
3672  
3673  
3674  
3675  
3676  
3677  
3678  
3679  
3680  
3681  
3682  
3683  
3684  
3685  
3686  
3687  
3688  
3689  
3690  
3691  
3692  
3693  
3694  
3695  
3696  
3697  
3698  
3699  
3700  
3701  
3702  
3703  
3704  
3705  
3706  
3707  
3708  
3709  
3710  
3711  
3712  
3713  
3714  
3715  
3716  
3717  
3718  
3719  
3720  
3721  
3722  
3723  
3724  
3725  
3726  
3727  
3728  
3729  
3730  
3731  
3732  
3733  
3734  
3735  
3736  
3737  
3738  
3739  
3740  
3741  
3742  
3743  
3744  
3745  
3746  
3747  
3748  
3749  
3750  
3751  
3752  
3753  
3754  
3755  
3756  
3757  
3758  
3759  
3760  
3761  
3762  
3763  
3764  
3765  
3766  
3767  
3768  
3769  
3770  
3771  
3772  
3773  
3774  
3775  
3776  
3777  
3778  
3779  
3780  
3781  
3782  
3783  
3784  
3785  
3786  
3787  
3788  
3789  
3790  
3791  
3792  
3793  
3794  
3795  
3796  
3797  
3798  
3799  
3800  
3801  
3802  
3803  
3804  
3805  
3806  
3807  
3808  
3809  
3810  
3811  
3812  
3813  
3814  
3815  
3816  
3817  
3818  
3819  
3820  
3821  
3822  
3823  
3824  
3825  
3826  
3827  
3828  
3829  
3830  
3831  
3832  
3833  
3834  
3835  
3836  
3837  
3838  
3839  
3840  
3841  
3842  
3843  
3844  
3845  
3846  
3847  
3848  
3849  
3850  
3851  
3852  
3853  
3854  
3855  
3856  
3857  
3858  
3859  
3860  
3861  
3862  
3863  
3864  
3865  
3866  
3867  
3868  
3869  
3870  
3871  
3872  
3873  
3874  
3875  
3876  
3877  
3878  
3879  
3880  
3881  
3882  
3883  
3884  
3885  
3886  
3887  
3888  
3889  
3890  
3891  
3892  
3893  
3894  
3895  
3896  
3897  
3898  
3899  
3900  
3901  
3902  
3903  
3904  
3905  
3906  
3907  
3908  
3909  
3910  
3911  
3912  
3913  
3914  
3915  
3916  
3917  
3918  
3919  
3920  
3921  
3922  
3923  
3924  
3925  
3926  
3927  
3928  
3929  
3930  
3931  
3932  
3933  
3934  
3935  
3936  
3937  
3938  
3939  
3940  
3941  
3942  
3943  
3944  
3945  
3946  
3947  
3948  
3949  
3950  
3951  
3952  
3953  
3954  
3955  
3956  
3957  
3958  
3959  
3960  
3961  
3962  
3963  
3964  
3965  
3966  
3967  
3968  
3969  
3970  
3971  
3972  
3973  
3974  
3975  
3976  
3977  
3978  
3979  
3980  
3981  
3982  
3983  
3984  
3985  
3986  
3987  
3988  
3989  
3990  
3991  
3992  
3993  
3994  
3995  
3996